COX™ ElectraFlow™ Dual Ultra

2-COMPONENT FAMILY OF BATTERY DISPENSERS





medmix

INDUSTRY


COX™ ElectraFlow™ Dual Ultra

400 MR

Variable 9-speed dial
sets material output speed

Twin rack drive technology
ensures materials maintain their mixing ratio

Interchangeable cartridge holding straps and plungers
quick and easy configuration



Manual clutch trigger
easy adjustment rack position

Soft grip handle
increased comfort

Fingertip control
for best dispensing performance

Bosch Professional 18V battery
more capacity equals longer usage between charges

Trigger lock
prevents accidental material discharge



Fingertip control for optimal dispensing



2-component twin rack platform



Interchangeable holding straps and plungers




Variable 9-speed dial

2-COMPONENT BATTERY POWERED DISPENSER FOR 400 ML CARTRIDGES.


400 MR

- Weight: 3.8 kg / 8.4 lbs
- Frame Length: 203 mm / 8.0 in
- Maximum Thrust: 5.0 kN
- Voltage: 18V
- Battery Capacity: 2.0 Ah
- Battery Charge Time: 35 min (2.0 Ah)
- Battery Type: Li-ion
- Handle Material: PC / ABS
- Frame Material: Steel / Aluminum
- Cartridge Capacity: 400 mL (14 oz)
- Cartridge Ratio: 1:1, 2:1, 4:1, 10:1
- Viscosity: Medium/High
- Standard Color: Grey/Black
- Customized versions on demand




COMPATIBLE CARTRIDGES

MIXPAC™ C-SYSTEM




400 mL / 1:1 | 400 mL / 2:1

MIXPAC™ F-SYSTEM



400 mL / 4:1 | 400 mL / 10:1

MIXPAC™ BLUELINE



400 mL / 2:1 | 400 mL / 10:1

The 2-component dispenser 400 MR is compatible with alternative cartridges.
Please note, fit for purpose of the cartridges strictly requires customer's testing and approval thereof.

APPLICATIONS



Bonding | Repair | Sealing | Shimming

COX™ ElectraFlow™ Dual Ultra


600 1:1

Versatile hanging hook
supports tool in use

Variable 9-speed dial
sets material output speed

Twin rack drive technology
ensures materials maintain their mixing ratio

Patented cartridge locator
ensures universal cartridge fit




Manual clutch trigger
easy adjustment rack position

Soft grip handle
increased comfort

Fingertip control
for best dispensing performance

Trigger lock
prevents accidental material discharge

Bosch Professional 18V battery
more capacity equals longer usage between charges



Fingertip control for optimal dispensing



2-component twin rack platform



Patented cartridge locator ensures universal cartridge fit




Variable 9-speed dial

2-COMPONENT BATTERY POWERED DISPENSER FOR 600 ML CARTRIDGES.


600 ML 1:1

- Weight: 3.8 kg / 8.4 lbs
- Frame Length: 195 mm / 7.67 in
- Maximum Thrust: 5.0 kN
- Voltage: 18V
- Battery Capacity: 2.0 Ah
- Battery Charge Time: 35 min (2.0 Ah)
- Battery Type: Li-ion
- Handle Material: PC / ABS
- Frame Material: Steel / Aluminum
- Cartridge Capacity: 600 mL (21 oz)
- Cartridge Ratio: 1:1
- Viscosity: Medium/High
- Standard Color: Grey/Black
- Customized versions on demand



COMPATIBLE CARTRIDGES

MIXPAC™ J-SYSTEM



600mL / 1:1

MIXPAC™ ECOPACC



600mL / 1:1 with Support Sleeve

The 2-component dispenser 600 1:1 is compatible with alternative cartridges.
Please note, fit for purpose of the cartridges strictly requires customer's testing and approval thereof.

APPLICATIONS



Bonding | Chemical Anchoring | Repair | Sealing | Shimming

MIXPAC™ APPLICATION – A FULL SYSTEM APPROACH

THE ELECTRAFLOW™ DUAL ULTRA OFFERS COMPATIBILITY WITH THE FOLLOWING MIXPAC™ APPLICATION SYSTEMS.



MIXPAC™ C/F-SYSTEM

The C-System is designed with the traditional threaded outlet while the F-System interface features a twist-lock bayonet ring, for fast opening, closing and coded separate outlets to avoid cross contamination. Dedicated mixing tips are available for enhanced system performances. Cartridges are available in PP, PBT and PA materials. The ElectraFlow Dual Ultra 400 mL multi ratio dispenser is compatible with the full range of 400 mL cartridge ratios (1:1, 2:1, 4:1, 10:1).



MIXPAC™ BLUELINE-SYSTEM

The BlueLine cartridge system provides a solution for applications that require an increase in flow rate. Ideal for high viscosity or shear sensitive materials. No cross contamination thanks to the interface design. The ElectraFlow™ Dual Ultra 400 mL can take all BlueLine 400 mL cartridges, available in 2:1 and 10:1 mixing ratio. Dedicated BlueLine mixing tips ensure best in class flow rates.



MIXPAC™ J-SYSTEM

J-System side by side cartridges are widely used and proven in the construction industry. The ElectraFlow™ Dual Ultra 600 mL is the perfect match for our 600 mL 1:1 ratio J-system cartridge. An extensive range of mixers designed for chemical anchoring and other varying applications is available.



MIXPAC™ ECOPACC™

The collapsible ecopaCC provides a sustainable and high-performing packaging solution reducing plastic waste up to 75% compared to conventional cartridges. ElectraFlow™ Dual Ultra 600 mL is designed for dispensing ecopaCC.
An extensive range of mixers for chemical anchoring and other varying applications is available.



MIXPAC™ MIXING TIPS

Mixpac Quadro™ and Helix mixing tips are manufactured for exact metering and mixing of 2-component materials and are available in various designs and lengths to meet the requirements of specific applications. Minimal pressure loss and precise metering at high dispensing rates are just a few benefits.

COX™ DISPENSING

Engineered to provide the best 2-component battery dispensing performance available today. The COX™ ElectraFlow™ Dual Ultra's fully integrated application system features first-in-class cordless technology; powered by the latest 18V lithium-ion batteries utilizing the CoolPack technology from Bosch Professional batteries.

Delivering high material output in a precise and controlled manner.

The ElectraFlow Dual Ultra platform delivers a range of 2-component battery dispensers, designed for dispensing medium to high viscosity sealants and adhesives. The ergonomic design provides the user with a perfectly well balanced tool, for best dispensing performance. The fingertip control features an overload shut-off and anti-drip mechanism preventing material discharge. The electronics and software technology combined with intelligent force management ensures that users have complete control over the output speed of the dispenser.

Designed for the professional and specialist trade user across all industry sectors who demand a reliable and high-performance dispensing tool.

ElectraFlow Dual Ultra includes a 2-year warranty for dispenser, battery and charger.

DELIVERING INNOVATION. INSPIRING CONFIDENCE.

EUROPE

medmix Switzerland AG
Ruetistrasse 7
9469 Haag, Switzerland
Phone +41 81 414 70 00
sales.industry@medmix.com
www.medmix.swiss

USA, SOUTH AMERICA, CANADA AND MEXICO

medmix USA Inc.
8 Willow St.
Salem, NH 03079, USA
Phone +1 603 893 2727
sales.industry@medmix.com
www.medmix.swiss

UK AND IRELAND

medmix UK Ltd.
1 Tealgate, Charnham Park, Hungerford
Berkshire, RG17 0YT, United Kingdom
Phone: +44 (0)1488 647 800
sales.industry@medmix.com
www.coxdispensers.com

ASIA PACIFIC

medmix China Ltd.
68 Bei Dou Lu, Minhang Shanghai
200245, China
Phone: +86 21 6430 68 68
sales.industry@medmix.com
www.medmix.swiss

medmix

Legal Notice: This brochure is a general presentation. The information contained in this publication is believed to be accurate and reliable but is not to be construed as implying any warranty or guarantee of performance. We waive any liability and indemnity for effects resulting from its application. Please, contact us for a description of the warranties and guarantees offered with our products. Directions for use and safety will be given separately. All information herein is subject to change without notice.

© 2022 medmix Switzerland AG All rights reserved.

medmix is a trademark belonging to medmix AG, COX is a trademark belonging to medmix Switzerland AG.

04.2022